Revision Date: 2013/04/08

# **Section 1: PRODUCT INFORMATION**

Chemical family: Mixture.

**Product uses:** Waterbase varnish.

**Product name: 133A** 

Manufacturer: Flame Control Coatings Inc.

4120 Hyde Park Blvd.,

P.O.Box 786

Niagara Falls, New York, 14305.

Manufacturer emergency phone

number:

800-535-5053

**Supplier:** Same as manufacturer.

TDG classification: Not regulated.
WHMIS classification: Not controlled.

**DSL status:** The substance(s) which appear in section 2 with CAS numbers appear on the

Domestic Substances List.

Supplier MSDS date: 2013/04/04.

## **Section 2: HAZARDOUS INGREDIENTS**

C.A.S.	CONCENTRATION %	Ingrédient	V.L.E.	DL/50	CL/50
121-44-8	0.1–1.0	TRIETHYLAMINE		460 MG/KG RAT ORAL	6000 MG/M3 MOUSE INHALATION
				570 UL/KG RABBIT DERMAL	
				546 MG/KG MOUSE ORAL	
34590-94-8	1–5	DIPROPYLENE GLYCOL MONOMETHYL ETHER		5400 MG/KG RAT ORAL	>500 PPM RAT INHALATION
				5.5 ML/KG RAT ORAL	
				10 ML/KG RABBIT DERMAL	

## **Section 3: PHYSICAL DATA**

Physical state: Liquid.

Appearance & odor: Mild odour.

Clear Hazy

Odor threshold (ppm): Not available. Vapour pressure (mmHg): Not available.

Vapour density (air=1): > 1.

133A – 133A

Volatiles (%)

By volume: 76%

**Evaporation rate** (butyl acetate = 1):

**Boiling point** ( $^{\circ}$ C): > 100 $^{\circ}$ C.

Freezing point (°C): Not available.

**pH:** 8–11.5.

Specific gravity @ 20 °C: 1.0-1.1.

Solubility in water (%): Dilutable.

Coefficient of water\oil dist.: Not available.

VOC: (material). 24 g/l.

#### Section 4: FIRE & EXPLOSION DATA

Flammability: Not flammable.

Conditions of flammability: Surrounding fire.

**Extinguishing media:** Dry chemical.

Water

Carbon dioxide.

**Special procedures:** Self–contained breathing apparatus required.

Firefighters should wear the usual protective gear.

Auto-ignition temperature (°C): Not available.

Flash point (°C), method: Not applicable.

**Lower flammability** limit (% vol): Not available.

Upper flammability limit (% vol): Not available.

**Explosion Data** 

Sensitivity to static discharge: None

Sensitivity to mechanical impact: None

**Hazardous combustion products:** Carbon monoxide (CO).

Carbon dioxide (CO2).

**Explosive power:** Temperatures > 212F (100C).

Product will burn in a fire.

### **Section 5: REACTIVITY DATA**

Chemical stability: Product is stable.

Conditions of instability: Keep from freezing.

Elevated temperatures.

**Hazardous polymerization:** Will not occur.

133A - 133A 2/4 **Incompatible substances:** None known.

Hazardous decomposition None known.

products:

#### **Section 6: TOXICOLOGICAL PROPERTIES**

**Route of entry:** Skin contact, eye contact, inhalation and ingestion.

Effects of acute exposure

**Eve contact:** May cause mild irritation.

May cause blurred vision.

**Skin contact:** Transient irritation.

Redness.

**Inhalation:** May cause mild respiratory irritation.

**Ingestion:** May cause mild gastrointestinal irritation.

**Effects of chronic exposure:** May cause irritation of eyes, nose and throat.

**LD50 of product, species & route:** Not available for mixture, see the ingredients section.

LC50 of product, species & route: Not available for mixture, see the ingredients section.

Exposure limit of material: Not available for mixture, see the ingredients section.

**Sensitization to product:** No

Carcinogenic effects: Not listed as a carcinogen.

Reproductive effects: Not available.

**Teratogenicity:** No

Mutagenicity: No

Synergistic materials: No

# **Section 7: PREVENTATIVE MEASURES**

## **Precautionary Measures**

Gloves/Type:



Nitrile rubber gloves.

**Respiratory/Type:** Not necessary, if adequate ventilation provided.

NIOSH approved respirator with organic vapor cartridge is required if ventilation is

inadequate or exposure limits are exceeded.

Eye/Type:



Splash proof chemical goggles. Chemical safety glasses.

Footwear/Type: Safety shoes per local regulations.

Clothing/Type: Long sleeve shirt, long trousers.

133A - 133A 3/4 **Other/Type:** Eye wash facility should be in close proximity.

Emergency shower should be in close proximity.

**Ventilation requirements:** Local exhaust and/or general ventilation.

**Leak/Spill:** Absorb with inert material.

Prevent entry into drains, sewers, and other waterways.

Wear appropriate protective equipment. Store in closed metal containers until disposal.

**Waste disposal:** Dispose in accordance with local, provincial/state, and federal regulations.

Handling procedures and Keep away from heat, sparks, and open flame.

equipment: Avoid breathing vapors/mists.

Use adequate ventilation. Wash thoroughly after handling.

Avoid contact with skin, eyes and clothing. Launder contaminated clothing prior to reuse.

Storage requirements: Store in a cool and well ventilated area.

Keep out of direct sunlight.

Keep away from heat, and ignition sources. Store between  $4.4 - 37.7^{\circ}$ C ( $40 - 100^{\circ}$ F).

Protect from frost.

TDG classification: Not regulated.

Special shipping information: Not regulated.

## **Section 8: FIRST AID MEASURES**

**Skin contact:** Wash thoroughly with soap and water.

Remove contaminated clothing.

If irritation occurs, consult a physician.

**Eye contact:** Obtain medical attention.

Flush with water for at least 15 minutes.

**Inhalation:** Remove victim to fresh air.

If breathing is difficult, obtain immediate medical attention.

**Ingestion:** Do not induce vomiting, seek medical attention.

Never give anything by mouth to an unconscious person.

If conscious, give 3-4 glasses of water or milk.

**Additional information:** The above information is believed to be correct but does not purport to be all

inclusive and shall be used only as a guide. This company shall not be held liable

for any inaccuracies.

**Note to physician:** Treat symptomatically.

### **Section 9: ADDITIONAL INFORMATION**

**General note:** This material safety data sheet was prepared from information obtained from

various sources, including product suppliers and the Canadian Center for

Occupational Health and Safety.

This MSDS was generated by Conform-Plus Application Service. Visit us at www.netmsds.com.

133A – 133A 4/4